Mathematische Zeitschrift

Band 160 · 1978

Herausgegeben von **T. tom Dieck,** Göttingen
H. Heyer, Tübingen
O.H. Kegel, Freiburg
W. Klingenberg, Bonn
A. Pfluger, Zürich
W. v. Wahl, Bayreuth
K. Zeller, Tübingen

Wissenschaftlicher Beirat B. Eckmann, Zürich · E. Heinz, Göttingen
K. H. Hofmann, New Orleans · U. Krengel, Göttingen
W. Magnus, New York · G. Pickert, Gießen
K. W. Roggenkamp, Stuttgart · H. Salzmann, Tübingen
H.H. Schaefer, Tübingen · H. Wielandt, Tübingen

Springer-Verlag
Berlin · Heidelberg · New York

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, even in microform, is transferred to the publisher.

Alle Rechte, einschließlich das der Übersetzung in fremde Sprachen und das der fotomechanischen Wiedergabe oder einer sonstigen Vervielfältigung, auch in Mikroform, vorbehalten. Jedoch wird gewerblichen Unternehmen für den innerbetrieblichen Gebrauch nach Maßgabe des zwischen dem Börsenverein des Deutschen Buchhandels e.V. und dem Bundesverband der Deutschen Industrie abgeschlossenen Rahmenabkommens die Anfertigung einer fotomechanischen Vervielfältigung gestattet. Wenn für diese Zeitschrift kein Pauschalabkommen mit dem Verlag vereinbart worden ist, ist eine Wertmarke im Betrage von DM 0,40 pro Seite zu verwenden. *Der Verlag läßt diese Beträge den Autorenverbänden zufließen.*

Springer-Verlag/Berlin · Heidelberg · New York
Printer: Universitätsdruckerei H. Stürtz AG, Würzburg
Printed in Germany. – © by Springer-Verlag Berlin Heidelberg 1978

Inhalt/Contents

Becker, M., Nessel, R.J.: A Global Approximation Theorem for Meyer-König and Zeller Operators 195

Börger, R., Tholen, W.: Cantors Diagonalprinzip für Kategorien 135

Bokowski, J., Schulz, C.: Dichte Klassen konvexer Polytope 173

Brodmann, M.: Eine Bemerkung zur Theorie der $\mathfrak{P}$-Ringe 235

Clausing, A.: Retractions and Open Mappings between Convex Sets . . . 263

Denker, M.: On Unitary Operators Inducing Measure-Preserving Transformations 163

Eberhard, W., Freiling, G.: Stone-reguläre Eigenwertprobleme 139

Fan, K.: Analytic Functions of a Proper Contraction 275

Felgner, U.: $\aleph_0$-Categorical Stable Groups 27

Freiling, G., s. Eberhard, W. 139

Greco, S., Marinari, M.G.: Nagata's Criterion and Openness of Loci for Gorenstein and Complete Intersection 207

Guillot, J.C., Wilcox, C.H.: Steady-State Wave Propagation in Simple and Compound Acoustic Waveguides 89

Gupta, C.K.: Gupta, N.D.: Generalized Magnus Embeddings and Some Applications 75

Gupta, N.D., s. Gupta, C.K. 75

Hesselink, W.H.: Polarizations in the Classical Groups 217

Höllein, H.: A Geometrical Characterization of Choquet Simplexes . . . 249

Hoffmann, R.E.: Note on Semi-Topological Functors 69

Irving, R.S.: Some Primitive Differential Operator Rings 241

Laine, I.: Full-Hyperharmonic Structures on Harmonic Spaces. II 1

Marinari, M.G., s. Greco, S. 207

Moscovici, H., Verona, A.: Cocycle Representations of Solvable Lie Groups 183

Nessel, R.J., s. Becker, M. 195

Pauer, F.: Spezielle Algebren und transitive Operationen 103

Roggenkamp, K.W.: Orders of Global Dimension Two 63

Schulz, C., s. Bokowski, J. 173

Sohr, H.: Über die Selbstadjungiertheit von Schrödinger-Operatoren . . . 255
Stork, W.: Regularity and Decay of Eigenfunctions 51
Tholen, W., s. Börger, R. 135
Verona, A., s. Moscovici, H. 183
Wilcox, C.H., s. Guillot, J.C. 89

Covered by Zentralblatt für Mathematik and
Contents of Mathematical Publications

INSTRUCTIONS TO AUTHORS

A. General

Papers submitted (in duplicate please) for publication may be written in English, French or German. A **summary** for Zentralblatt für Mathematik (including key words for classification) should be attached.

To speed up publication, authors will receive **only one set of proofs:** provisionally numbered page proofs. Authors are requested to **correct typographical errors only;** they will be charged for corrections involving changes, additions or deletions to the original manuscript.

Manuscripts must be in their **final form,** typed on one side of each sheet only, with double spacing and wide margins. Formulae should be typewritten whenever possible. Mimeographed copies are not acceptable unless clearly legible.

Please include a "Note for the Printer" explaining markings used. See suggestions overleaf.

Diagrams should be submitted on separate sheets, not included in the text. They should be drawn in Indian ink in clean and clear uniform lines, the whole about twice the size of the finished illustration. Inscriptions should allow for the figure 1, for example, to be about 2 mm high in the final version (i.e. 4 mm for reduction $\times\frac{1}{2}$). The author should mark in the margin of the manuscript where diagrams may be inserted.

Footnotes, other than those which refer to the title heading, should be numbered consecutively and placed at the foot of the page to which they refer (not at the end of the article). They should preferably be avoided.

Please give on the first page of the manuscript a **running head** (condensed title), which should not exceed 70 letters including spaces.

References to the literature should be listed at the end of the manuscript. The following information should be provided for **journal articles:** names and initials of all authors, full title of the paper, name of the journal, volume, first and last page numbers and year of publication. References to **books** should include name(s) of author(s), full title, edition, place of publication, publisher and year of publication.

Examples

Bombieri, E., Giusti, E.: Harnack's inequality for elliptic differential equations on minimal surfaces. Inventiones math. **15**, 24–46 (1971)

Tate, J.T.: p-Divisible Groups. In: Proceedings of a Conference on Local Fields (Driebergen 1966), pp. 158–183. Berlin-Heidelberg-New York: Springer 1967

B. Marking

1. Text

Words or sentences to be set in *italics* should be marked by single underlining.

The words **"Theorem", "Proposition", "Lemma", "Corollary"** etc. are normally printed in **boldface**, followed by the formulation in italics (to be underlined in the manuscript).
The words "*Proof*", "*Remark*", "*Example*", "*Case*" etc. are printed in italics, and "Definition" in boldface with the formulation in ordinary typeface.

2. Formulae

Letters in formulae are normally printed in italics, figures in ordinary typeface.
It will help the printer if in doubtful cases the position of indices and exponents is marked thus: $b_{\wedge}$, $a^{\vee}$. Spacing of indices and exponents must be specially indicated ($A_m{}^n{}_n{}^m$), otherwise they will be set (A_{mn}^{nm}).
Underlining for special alphabets and typefaces should be done according to the following code:

single underlining:	small letter
double underlining:	capital letter
brown:	boldface (headings, boldface letters in formulae)
yellow:	upright (abbreviations e.g. Re, Im, log, sin, ord, id, lim, sup, etc.)
red:	Greek
blue:	Gothic
green:	Script
violet:	the numerals 1 and 0 (to distinguish them from the small letter *l* and the capital letter *O*)

The following are frequently confused:

$\circ, o, O, 0$; $\cup, \mathbf{u}, \bigcup, U$; $\times, x, X, \kappa$; $\vee, v, \nu$; $\theta, \Theta, \phi, \varphi, \Phi, \varnothing$; ψ, Ψ; $\varepsilon, \in$;

a', a^1; the symbol *a* and the indefinite article a;

also the handwritten Roman letters:

c, C; e, l; I, J; k, K; o, O; p, P; s, S; u, U; v, V; w, W; x, X; z, Z;

Please take care to distinguish them in some way.

C. Examples

1. Special alphabets or typefaces

Script	$\mathscr{A}, \mathscr{B}, \mathscr{C}, \mathscr{D}, \mathscr{E}, \mathscr{F}, \mathscr{G}, \mathscr{H}, \mathscr{I}, \mathscr{J}, \mathscr{K}, \mathscr{L}, \mathscr{M}, \mathscr{N}, \mathscr{O}, \mathscr{P}, \mathscr{Q}, \mathscr{R}, \mathscr{S}, \mathscr{T}, \mathscr{U}, \mathscr{V}, \mathscr{W}, \mathscr{X}, \mathscr{Y}, \mathscr{Z}$
	$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
Sanserif	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
	a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Gothic	$\mathfrak{A}, \mathfrak{B}, \mathfrak{C}, \mathfrak{D}, \mathfrak{E}, \mathfrak{F}, \mathfrak{G}, \mathfrak{H}, \mathfrak{I}, \mathfrak{J}, \mathfrak{K}, \mathfrak{L}, \mathfrak{M}, \mathfrak{N}, \mathfrak{O}, \mathfrak{P}, \mathfrak{Q}, \mathfrak{R}, \mathfrak{S}, \mathfrak{T}, \mathfrak{U}, \mathfrak{V}, \mathfrak{W}, \mathfrak{X}, \mathfrak{Y}, \mathfrak{Z}$
	$\mathfrak{a}, \mathfrak{b}, \mathfrak{c}, \mathfrak{d}, \mathfrak{e}, \mathfrak{f}, \mathfrak{g}, \mathfrak{h}, \mathfrak{i}, \mathfrak{j}, \mathfrak{k}, \mathfrak{l}, \mathfrak{m}, \mathfrak{n}, \mathfrak{o}, \mathfrak{p}, \mathfrak{q}, \mathfrak{r}, \mathfrak{s}, \mathfrak{t}, \mathfrak{u}, \mathfrak{v}, \mathfrak{w}, \mathfrak{x}, \mathfrak{y}, \mathfrak{z}$
Boldface	**A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z**
	a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Special Roman	$\mathbb{A}, \mathbb{B}, \mathbb{C}, \mathbb{D}, \mathbb{E}, \mathbb{F}, \mathbb{G}, \mathbb{H}, \mathbb{I}, \mathbb{J}, \mathbb{K}, \mathbb{L}, \mathbb{M}, \mathbb{N}, \mathbb{O}, \mathbb{P}, \mathbb{Q}, \mathbb{R}, \mathbb{S}, \mathbb{T}, \mathbb{U}, \mathbb{V}, \mathbb{W}, \mathbb{X}, \mathbb{Y}, \mathbb{Z}, \mathbb{1}$
Greek	$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$
	$\alpha, \beta, \gamma, \delta, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, o, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \phi, \chi, \psi, \omega$
Greek Sanserif	A, B, Γ, Δ, E, Z, H, Θ, I, K, Λ, M, N, Ξ, O, Π, P, Σ, T, Y, Φ, X, Ψ, Ω
	α, β, γ, δ, ε, ζ, η, ϑ, θ, ι, κ, λ, μ, ν, ξ, ο, π, ρ, σ, ς, τ, υ, φ, χ, ψ, ω
	(Indices and superscripts are not available)

2. Notations

preferred form	instead of
$A^*, \tilde{b}, \gamma', \mathfrak{v}, \mathbf{v}$	$\bar{A}, \bar{b}, \check{\gamma}, \vec{v}$
lim sup, proj lim	$\overline{\lim}, \varprojlim$
$f\colon A \to B$	$A \xrightarrow{f} B$
$\sum_{n=1}^{\infty}$	$\sum\limits_{n=1}^{\infty}$

preferred form	instead of
$\exp(-(x^2+y^2)/a^2)$	$e^{-\frac{x^2+y^2}{a^2}}$
$\dfrac{\cos(1/x)}{(a+b/x)^{1/2}}$	$\dfrac{\cos\frac{1}{x}}{\sqrt{a+\frac{b}{x}}}$